

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	3978345	only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:13
-	1127630	(only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) near6 (amount or data or bit or bits or address\$3 or number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:04
-	143968	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) near6 (amount or data or bit or bits or address\$3 or number\$1)) with (access\$7 or decod\$7 or read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:39
-	347565	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) near6 (amount or data or bit or bits or address\$3 or number\$1)) with (access\$7 or decod\$7 or read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:46
-	428737	(device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:07
-	34170	((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:44
-	6179	((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:45
-	1440594	(only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) near6 (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:48
-	1908172	(only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:49
-	81	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:51

-	3	(((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:50
-	58442	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:51
-	2403	(((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:52
-	982	(((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and (daisychain\$5 or chain\$5 or link\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:55
-	957	((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and (daisychain\$5 or chain\$5 or link\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20010102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:53

-	957	((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and (daisychain\$5 or chain\$5 or link\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:00
-	32401	(daisychain\$5 or chain\$5 or link\$5) with address\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:08
-	411	((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and ((daisychain\$5 or chain\$5 or link\$5) with address\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:57
-	97278	(sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:58
-	225	(((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) same ((sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:58
-	28	((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) same ((sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7)) and ((daisychain\$5 or chain\$5 or link\$5) with address\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 13:59

-	112	((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) same ((sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:00
-	9	((((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) same ((sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and ((daisychain\$5 or chain\$5 or link\$5) with address\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:00
-	9	(((((((device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or identification\$1 or identit\$5 or address\$5 or code\$1)) with (bit or bits)) with (compar\$7 or match\$7 or mismatch\$7 or "same" or different or difference)) same ((sequen\$7 or bit adj2 bit or increment\$5) near8 compar\$7)) and (((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with (bit or bits))) and ((daisychain\$5 or chain\$5 or link\$5) with address\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:11
-	12620	(only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:05
-	3443	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:24
-	657	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:07

-	724	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:23
-	871810	(daisychain\$5 or chain\$5 or link\$5) with (address\$5 or bus or busses or buses or device\$1 or peripheral\$1 or node\$1 or agent\$1 or unit\$1 or target\$1 or destination\$1 or module\$1 or config\$7 or connect\$7 or coupl\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:12
-	201	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and ((daisychain\$5 or chain\$5 or link\$5) with (address\$5 or bus or busses or buses or device\$1 or peripheral\$1 or node\$1 or agent\$1 or unit\$1 or target\$1 or destination\$1 or module\$1 or config\$7 or connect\$7 or coupl\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:11
-	197	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and ((daisychain\$5 or chain\$5 or link\$5) with (address\$5 or bus or busses or buses or device\$1 or peripheral\$1 or node\$1 or agent\$1 or unit\$1 or target\$1 or destination\$1 or module\$1 or config\$7 or connect\$7 or coupl\$7))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:19
-	15	((only or just or enough or min\$2 or minimum or minimal\$2 or least or fewest) with compar\$7 with (bit or bits)) with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and ((daisychain\$5 or chain\$5 or link\$5) with (address\$5 or bus or busses or buses or device\$1 or peripheral\$1 or node\$1 or agent\$1 or unit\$1 or target\$1 or destination\$1 or module\$1 or config\$7 or connect\$7 or coupl\$7))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)) and (daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:22
-	20	(daisychain\$5 or daisy adj2 chain\$5) with latenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:19

-	16	((daisychain\$5 or daisy adj2 chain\$5) with latenc\$3) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:28
-	381	(daisychain\$5 or daisy adj2 chain\$5) with address\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:41
-	213	((daisychain\$5 or daisy adj2 chain\$5) with address\$5) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:42
-	233699	compar\$7 with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:27
-	102626	(compar\$7 with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)) same (forward\$5 or pass\$5 or match\$5 or mismatch\$5 or "same" or differen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:26
-	843842	(forward\$5 or pass\$5 or transmi\$5) with (match\$5 or mismatch\$5 or "same" or differen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:27
-	277767	compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:27
-	12767	((forward\$5 or pass\$5 or transmi\$5) with (match\$5 or mismatch\$5 or "same" or differen\$3)) same (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:55
-	7	((daisychain\$5 or daisy adj2 chain\$5) with address\$5) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (((forward\$5 or pass\$5 or transmi\$5) with (match\$5 or mismatch\$5 or "same" or differen\$3)) same (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:28

-	7	(((((daisychain\$5 or daisy adj2 chain\$5) with address\$5) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (((forward\$5 or pass\$5 or transmi\$5) with (match\$5 or mismatch\$5 or "same" or differen\$3)) same (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:34
-	1906	(wired or open adj2 collect?r\$1) with (serial\$2 or daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:34
-	111	(wired or open adj2 collect?r\$1) with (daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:37
-	109	((wired or open adj2 collect?r\$1) with (daisychain\$5 or daisy adj2 chain\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:37
-	102	(open adj2 collect?r\$1) with (serial\$2 or daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:38
-	100	((open adj2 collect?r\$1) with (serial\$2 or daisychain\$5 or daisy adj2 chain\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:43
-	15	((open adj2 collect?r\$1) with (serial\$2 or daisychain\$5 or daisy adj2 chain\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)) and (daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:59
-	508	(daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 06:52
-	287	((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:42

-	125	(((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (compar\$7 with (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:43
-	128	(((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:43
-	128	((((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:43
-	123	((((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:44
-	123	((((daisychain\$5 or daisy adj2 chain\$5) with (address\$5 or identif\$7)) with (device\$1 or peripheral\$1 or module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 or destination\$1)) and (compar\$7 with (bit or bits or address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 06:50
-	363815	(few\$3 or little or small\$3 or least or min or minimum or minimal\$2) near6 (data or bit or bits or address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 06:52
-	33828	((few\$3 or little or small\$3 or least or min or minimum or minimal\$2) near6 (data or bit or bits or address\$3)) with read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 06:52
-	3	(((few\$3 or little or small\$3 or least or min or minimum or minimal\$2) near6 (data or bit or bits or address\$3)) with read\$3) same (daisychain\$5 or daisy adj2 chain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:58

-	1216563	(terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:21
-	75348	compar\$7 with (bitwise\$1 or bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:53
-	8164	((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) same (compar\$7 with (bitwise\$1 or bit or bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:53
-	1057245	(terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:54
-	38860	((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:54
-	1667	(compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:54
-	571151	(device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:57
-	122	((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 07:57
-	7	((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:02

-	7	(((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @ptld<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:02
-	62	(((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:02
-	60	(((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @ptld<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:22

-	53	<p>((((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)) not (((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5)) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/10 08:03</p>
-	1259381	<p>(terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7 or identical\$2)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/10 08:20</p>
-	8210	<p>(compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7 or identical\$2))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/10 08:21</p>
-	62	<p>((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7 or identical\$2))) and (((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/10 08:21</p>

-	60	(((compar\$7 with (bitwise\$1 or bit or bits)) same ((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7 or identical\$2))) and (((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:22
-	0	(((compar\$7 with (bitwise\$1 or bit or bits)) same ((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (compar\$7 or match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7 or identical\$2))) and (((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102)) not (((compar\$7 with (bitwise\$1 or bit or bits)) same (((terminat\$5 or end\$3 or stop\$5 or until or once or soon) with (match\$5 or mismatch\$5 or "same" or differen\$3 or coincid\$7)) with compar\$7)) same ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 or destination\$1) near6 (address\$5 or id\$2 or identif\$7 or identit\$5 or code\$1))) and (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or serial\$2))) and (@ad<20020102 or @rlad<20020102 or @prad<20020102 or @pt1d<20020102 or @pd<20020102))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:22